



'D' type slide bearings



Head Office:

250 Block 'B'

Banik Mansion

Lake Town, Kolkata 700089

Tel:033-25348041/25219773

Fax:033-25344152

Email:mail@dvbbearings.com

URL:www.dvbbearings.com

Works:

43/1 'The Mall'

Kaikhali, Kolkata 700052

Tel:033-25253631/4320/0378/0220

Fax:033-25250220

Email:worksdvb@yahoo.com

accountsdvb@yahoo.co.in

SLIDE BEARINGS TYPE 'D'. SHAFT RANGE : Ø 80 - 355 MM.

- o DESIGN AND MANUFACTURE TO DIN 31690, 31693 & 31694
- o SPECIALLY BUILT FOR ROTATING ELECTRICAL MACHINES AND TURBINES
- o DOMESTIC AND INTERNATIONAL CLIENTELE BACKED BY RESEARCH, DESIGN AND MANUFACTURE TO INTERNATIONAL STANDARD
- o LARGER SIZES ARE CUSTOMIZED ON ORDER BASIS



TYPE 'DM 35' ASSEMBLIES IN A ROW



TYPE 'DG 28' ASSEMBLIES



TYPE 'DF' ASSEMBLIES



TYPE 'DM' TOP HALVED REMOVED



'A' TYPE BUSH WITH RD PADS AND OIL RING



DFZLB/Q 22-250 SUPPLIED TO TDPS FOR THEIR 34 MW. 1500 RPM GENERATOR



FLOATING INSULATING SEAL



FLOATING INSULATING SEAL WITH CARRIER



RIGID ALUMINIUM SEAL



INSIDE M/C SEAL WITH OUTLET FOR PRESSURE EQUILISER



RD PAD CARRIER WITH OIL GUIDE HOLES



OIL RING



PT 100 TEMP. DETECTORS FOR SHELL AND SUMP



HYDROSTATIC FITTINGS WITH INSERT NRV



AUTOMATIC TAPPING EQUIPMENT



VMC OPERATION ON SHELL BUSH